

This Page Is Inserted by IFW Operations  
and is not a part of the Official Record

## **BEST AVAILABLE IMAGES**

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images may include (but are not limited to):

- BLACK BORDERS
- TEXT CUT OFF AT TOP, BOTTOM OR SIDES
- FADED TEXT
- ILLEGIBLE TEXT
- SKEWED/SLANTED IMAGES
- COLORED PHOTOS
- BLACK OR VERY BLACK AND WHITE DARK PHOTOS
- GRAY SCALE DOCUMENTS

**IMAGES ARE BEST AVAILABLE COPY.**

**As rescanning documents *will not* correct images,  
please do not report the images to the  
Image Problem Mailbox.**

# EAST UPDATE

L Number	Hits	Search Text	DB	Time stamp
-	253	(vci or vpi) same (client or subscriber or user) same (gateway or access) and @ad<20001113	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/28 12:33
-	65	(vci or vpi) same (client or subscriber or user) same (gateway or access) same port and @ad<20001113	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/28 12:42
-	2	(vci or vpi) same (client or subscriber or user) same (gateway or access) same port and tunnel and @ad<20001113	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/28 12:37
-	0	(vci or vpi) same (client or subscriber or user) same (gateway or access) same tunnel and @ad<20001113	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/28 12:37
-	5	(vci or vpi) same (client or subscriber or user) same (gateway or access) and tunnel and @ad<20001113	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/28 12:39
-	3	(vci or vpi) same (client or subscriber or user) same (domain or service) and (dslam) and tunnel and @ad<20001113	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/28 12:40
-	17	(vci or vpi) same (client or subscriber or user) same (gateway or access) same port and security and @ad<20001113	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/28 13:47
-	2	(vci or vpi) same (client or subscriber or user) same (exclusive or restrict\$3) and security and @ad<20001113	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/28 12:45
-	0	(vci or vpi) same (client or subscriber or user) same tunnel and (exclusive or restrict\$3) near3 access and @ad<20001113	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/28 12:46
-	0	(vci or vpi) and (client or subscriber or user) and tunnel and (exclusive or restrict\$3) near3 access and @ad<20001113	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/28 12:46
-	43	(exclusive or restrict\$3) near3 access near10 domain and @ad<20001113	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/28 12:47
-	0	(exclusive or restrict\$3) near3 access near10 domain and dslam and @ad<20001113	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/28 14:42
-	24	5805820.URPN.	USPAT	2004/06/28 13:02

-	1739	(exclusive or restrict\$3) near3 access near10 (subscriber or user or client) and @ad<20001113	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/28 14:43
-	1771	(exclusive or restrict\$3) near6 domain and @ad<20001113	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/28 14:44
-	65	(exclusive or restrict\$3) near6 (only or particular) near domain and @ad<20001113	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/28 14:48
-	29452	("709").CLAS.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/28 14:51
-	4580	(713/200,201).CCLS.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/28 14:51
-	32899	((("709").CLAS.) or ((713/200,201).CCLS.))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/28 14:51
-	16796	((("709").CLAS.) or ((713/200,201).CCLS.)) and @ad<20001113	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/28 14:51
-	88	((("709").CLAS.) or ((713/200,201).CCLS.)) and @ad<20001113) and (authoriz\$3 or authorization) near10 domain	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/28 14:52
-	37	((("709").CLAS.) or ((713/200,201).CCLS.)) and @ad<20001113) and (forc\$3) near10 domain	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/28 15:00
-	5	("5655077"   "5684950"   "5944824"   "6092196"   "6141687").PN.	USPAT	2004/06/28 14:55
-	16	6301618.URPN.	USPAT	2004/06/28 14:55
-	96	((("709").CLAS.) or ((713/200,201).CCLS.)) and @ad<20001113) and (default or override) near10 domain	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/28 16:21
-	11	((("709").CLAS.) or ((713/200,201).CCLS.)) and @ad<20001113) and (overrid\$3) near10 domain	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/28 15:53
-	17	("4644532"   "4827411"   "4991204"   "5049873"   "5079765"   "5088091"   "5101348"   "5247381"   "5261044"   "5276789"   "5295244"   "5317568"   "5321813"   "5436909"   "5450408"   "5452330"   "5504921").PN.	USPAT	2004/06/28 15:42
-	66	5751967.URPN.	USPAT	2004/06/28 15:42

-	143	((("709").CLAS.) or ((713/200,201).CCLS.)) and @ad<20001113) and (denial adj2 service)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/28 15:54
-	70	((("709").CLAS.) or ((713/200,201).CCLS.)) and @ad<20001113) and (denial adj2 service) and domain	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/28 15:54
-	33	((("709").CLAS.) or ((713/200,201).CCLS.)) and @ad<20001113) and (denial adj2 service) and domain same (table or map or chart or lookup or associated)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/28 16:12
-	24	("5241594"   "5276679"   "5280470"   "5442630"   "5444703"   "5463629"   "5479407"   "5574861"   "5655077"   "5684950"   "5715394"   "5835727"   "5845070"   "5845211"   "5852812"   "5857102"   "5898780"   "5944824"   "6070192"   "6092196"   "6118768"   "6119160"   "6141687"   "6298383").PN.	USPAT	2004/06/28 16:01
-	0	((("709").CLAS.) or ((713/200,201).CCLS.)) and @ad<20001113) and (denial adj2 service) and default adj domain	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/28 16:21
-	0	((("709").CLAS.) or ((713/200,201).CCLS.)) and @ad<20001113) and (denial adj2 service) and domain adj3 default	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/28 16:13
-	9	((("709").CLAS.) or ((713/200,201).CCLS.)) and @ad<20001113) and (denial adj2 service) and domain near4 only	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/28 16:14
-	0	((("709").CLAS.) or ((713/200,201).CCLS.)) and @ad<20001113) and (denial adj2 service) and domain near4 exclusive\$2	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/28 16:14
-	0	((("709").CLAS.) or ((713/200,201).CCLS.)) and @ad<20001113) and (denial adj2 service) and domain with exclusive\$2	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/28 16:14
-	26	((("709").CLAS.) or ((713/200,201).CCLS.)) and @ad<20001113) and domain near4 exclusive\$2	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/28 16:18
-	33	((("709").CLAS.) or ((713/200,201).CCLS.)) and @ad<20001113) and (denial adj2 service) and (exclusive\$2 or restrict\$3) near6 access	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/28 16:19
-	4	((("709").CLAS.) or ((713/200,201).CCLS.)) and @ad<20001113) and (default or override) near10 domain same redirect\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/28 16:24
-	5	((("709").CLAS.) or ((713/200,201).CCLS.)) and @ad<20001113) and (denial adj2 service) and domain same redirect\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/28 16:22

-	11	((("709").CLAS.) or ((713/200,201).CCLS.)) and @ad<20001113) and (default or overrid\$3 or exclusive\$2 or restrict\$3) same domain same redirect\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/28 17:11
-	3	((("709").CLAS.) or ((713/200,201).CCLS.)) and @ad<20001113) and (forc\$3 or overrid\$3) adj2 (user or client or subscriber) adj7 connect	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/28 17:12
-	306	((("709").CLAS.) or ((713/200,201).CCLS.)) and @ad<20001113) and (forc\$3 or overrid\$3) adj2 (user or client or subscriber)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/28 17:20
-	44	((("709").CLAS.) or ((713/200,201).CCLS.)) and @ad<20001113) and (forc\$3 or overrid\$3) adj2 (user or client or subscriber) same connect\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/28 17:16
-	3	((("709").CLAS.) or ((713/200,201).CCLS.)) and @ad<20001113) and (forc\$3 or overrid\$3) adj2 (user or client or subscriber) adj10 connect	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/28 17:17
-	3	((("709").CLAS.) or ((713/200,201).CCLS.)) and @ad<20001113) and (forc\$3 or overrid\$3) near2 (user or client or subscriber) adj10 connect	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/28 17:17
-	1	((("709").CLAS.) or ((713/200,201).CCLS.)) and @ad<20001113) and (forc\$3 or overrid\$3) near2 (user or client or subscriber) with (exclusive)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/28 17:17
-	0	((("709").CLAS.) or ((713/200,201).CCLS.)) and @ad<20001113) and (forc\$3 or overrid\$3) adj2 (user or client or subscriber) same tunnel	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/28 17:20
-	0	((("709").CLAS.) or ((713/200,201).CCLS.)) and @ad<20001113) and (forc\$3 or overrid\$3) adj2 (user or client or subscriber) adj2 use	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/28 17:20
-	2	((("709").CLAS.) or ((713/200,201).CCLS.)) and @ad<20001113) and (forc\$3 or overrid\$3) adj2 (connect\$3) same (exclusive\$2 or restrict\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/28 17:21
-	17	((("709").CLAS.) or ((713/200,201).CCLS.)) and @ad<20001113) and (forc\$3 or overrid\$3) adj2 (exclusive\$2 or restrict\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/28 17:21
-	5962	virtual adj private adj network	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/29 11:39
-	1554	(virtual adj private adj network) and @ad<20001113	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/29 11:39

-	24	((virtual adj private adj network) and @ad<20001113) and single adj connection	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/29 11:50
-	31	((virtual adj private adj network) and @ad<20001113) and (exclusive\$2 or overrid\$3 or restrict\$3 or default) near10 domain	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/29 11:55
-	1766	(exclusive\$2 or overrid\$3 or restrict\$3 or default) near2 domain	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/29 11:55
-	34	((709/225,220,221).CCLS.) and(exclusive\$2 or overrid\$3 or restrict\$3 or default) near2 domain	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/29 11:58
-	3	((709/225,220,221).CCLS.) and (exclusive\$2 or overrid\$3 or restrict\$3 or default) same (only adj allow\$3) near6 connect\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/29 11:59

L Number	Hits	Search Text	DB	Time stamp
13	15279	((("709").CLAS.) and @ad<20001113	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/29 12:55
14	125	((("709").CLAS.) and @ad<20001113) and access\$3 same instead with (based or associated)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/29 12:06
15	3	((("709").CLAS.) and @ad<20001113) and access\$3 same instead with domain with (based or associated)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/29 12:48
16	189	domain near3 (overrid\$3 or default or limit\$3 or restrict\$3 or inhibit\$4 or prohibit\$4) near4 (setting or configuration or parameter or attribute or description)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/29 13:07
17	106	(domain near3 (overrid\$3 or default or limit\$3 or restrict\$3 or inhibit\$4 or prohibit\$4) near4 (setting or configuration or parameter or attribute or description)) and @ad<20001113	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/29 12:55
18	12	((("709").CLAS.) and ((domain near3 (overrid\$3 or default or limit\$3 or restrict\$3 or inhibit\$4 or prohibit\$4) near4 (setting or configuration or parameter or attribute or description)) and @ad<20001113)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/29 12:55
19	84	domain adj2 (setting or configuration or parameter or attribute or description) same (exclusive\$2 or overrid\$3 or default or restrict\$3 or allow\$3 or forcing) same (access\$3 or connect\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/29 13:10
20	3	((("709").CLAS.) and @ad<20001113) and (domain adj2 (setting or configuration or parameter or attribute or description) same (exclusive\$2 or overrid\$3 or default or restrict\$3 or allow\$3 or forcing) same (access\$3 or connect\$3))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/29 13:09
21	359	domain adj2 (setting or configuration or parameter or attribute or description) same (access\$3 or connect\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/29 13:13
22	24	(domain adj2 (setting or configuration or parameter or attribute or description) same (access\$3 or connect\$3)) and ((("709").CLAS.) and @ad<20001113)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/29 13:10
23	43	domain adj4 (setting or configuration or parameter or attribute or description) same (access\$3 or connect\$3) and ((("709").CLAS.) and @ad<20001113)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/29 13:13

"domain override attribute" search